



DanoTech Co., Ltd.

Product Specification

Ver. 1.0


19" Touch Open Frame

FP-19412AUA-F5

1 General Specification

TFT-LCD	LCD Panel Size	19 inch TFT LCD
	Pixel Dimension	0.294mm(H) x 0.294mm(V)
	Active Area	376.32mm(H) x 301.056mm(V)
	Resolution	1280 x 1024 (Max)
	Display Colors	16.2M
	Response Time (on/off)	8ms
	Contrast Ratio	500:1
	Brightness	300 cd/m ²
	Viewing Angle (CR>10)	R/L +75°~ -75° U/D Vert.: +70°~ -60°
	Aspect Ratio	4:3
Input		D-Sub 15 pin X 1, DVI-D 24 pin X 1, Audio in X 1
Touch Panel	Technology	Surface Capacitive Touch Panel
Power Supply	Voltage	100~240 VAC / 50~60 HZ, 1.5A
	Power Consumption	50W / 12V / 4.16A
	Stand-by	<1w
Module Chassis Dimension		427.9 X 327.4 X 48.4

2 Key definition




3 Appearance

Front Side



Back Side



4 Accessories

4.1 Power Adapter

4.2 VGA cable


4.3 Power cord

4.4 CD driver for touch panel

4.5 USB cable

4.6 DVI cable (optional)

5 Appendix



© This specification is subject to change without further notice.