



**DanoTech Co., Ltd.**

## **Product Specification**

Ver. 1.0

---


# **31.5" Touch Open Frame**

## **FP-31812AUA-F5**

## 1 General Specification

TFT-LCD	LCD Panel Size	31.5 inch TFT LCD
	Pixel Dimension	0.294mm(H) x 0.294mm(V)
	Active Area	697.685mm(H) x 392.256mm(V)
	Resolution	1366 x 768 (Max)
	Display Colors	16.7M
	Response Time	8ms
	Contrast Ratio	1200:1
	Brightness	500 cd/m <sup>2</sup>
	Viewing Angle	R/L +88°~ -88° U/D Vert.: +88°~ -88°
	Aspect Ratio	16:9
Input		D-Sub 15 pin X 1, DVI-D 24 pin X 1, Audio in X 1
Touch Panel	Technology	Surface Capacitive Touch Panel
Power Supply	Voltage	100~240 VAC / 50~60 HZ
	Power Consumption	250W
	Stand-by	<3w
Module Chassis Dimension		790x 450 x 95 mm

## 2 Key definition



## 3 Appearance

### Front Side



### Back Side



## **4 Accessories**

4.1 Power Adapter

4.2 VGA cable


4.3 Power cord

4.4 CD driver for touch panel

4.5 USB cable

4.6 DVI cable (optional)

## **5 Appendix**



© This specification is subject to change without further notice.